

Q-LINE | Q-CLASSIC-90

Safety storage cabinets for unrestricted storage of flammable hazardous materials in work areas in accordance with EN 14470-1 and TRGS 510

1

Robust talent

Extremely robust design with scratch-proof surface, triple hinged door for extreme strain. Doors stay in place at any opening angle for a more convenient handling of containers.



2

High flexibility

Integrated transport base for simple inhouse transport, cabinet can be transported upright through doors (all Q-LINE models).



3

Modern bicolour design

Brings colour to your workplace: choice of seven door colours at no extra cost. Language-free labelling for optimum international usability.



4

Cylinder lock with locking status indicator

Doors lockable with cylinder lock; the cabinets can be integrated by the customer in an existing master key system. Locking status indicator (red/green) signals the locking status of the cabinet.



5

Technical ventilation

Integrated air ducts ready for connection (DN 75) to a technical exhaust system can be used for the extraction of hazardous substances vapours. The potential formation of explosive atmospheres or harmful vapours is safely prevented.



6

Optionally available with dividing walls that create up to four storage compartments for the safe and cost-efficient storage of different hazardous substances in one cabinet.



7

TRIPLE CERTIFIED Safety storage cabinets offer maximum protection

Certified according to EN 14470-1 as well as the FM and UL standards. The cabinets are suitable for international use.





- **Fire resistance of 90 minutes** (type 90), type-tested in accordance with EN 14470-1



- **GS-tested** (document EK5/AK4 09-10, ProdSG)
- **50,000** wear-free opening and closing actions
- Test basis: all cabinets of this model group correspond to the requirements of the Product Safety Act (§21 Para. 1) with respect to the guarantee of safety and health



- Conformity in accordance with the requirements of **EN 16121** and **16122**
- Requirements and test methods for safety, strength, durability and stability.



- **Excellent products with special manufacturer warranty**
- Extended **manufacturer warranty of up to ten years** in connection with the asecos PREMIUM tariff
- Further information from page 494



- Certain cabinets of this model group have been additionally tested in accordance with **FM Standard 6050** and are compliant to NFPA Code 30, NFPA 1 Fire Code, OSHA
- Further information on these models from page 56



- Certain cabinets of this model group have been additionally tested in accordance with **Underwriters Laboratories-Standard UL/ULC 1275**
- Further information on these models from page 56



Interior equipment

Our numerous cabinet models can be easily adapted to a variety of storage requirements thanks to the wide range of interior equipment options. Depending on requirements, interior equipment packages with the following components are available:

Drawer



Ideally suited for the storage of small containers up to 5 L, spray cans or compressed gas cans

- The extended drawer provides an overview of all stored hazardous materials
- All containers can be conveniently and safely removed or adjusted
- The drawers are self-closing in case of fire or have a permanent self-closing mechanism
- Available material: powder-coated sheet steel (RAL 7035) or stainless steel

Metal-free storage level



Optimally suited for the storage of flammable and slightly aggressive hazardous materials.

- The tray shelf with chemically resistant surface coating and plastic sump offers a high level of corrosion protection
- The plastic sump is mounted on the tray shelf to prevent it from tipping and pulling out, and can be easily removed if necessary
- Available material: polypropylene (grey)

Bottom collecting sump and perforated insert



High quality bottom collecting sumps

- Possible leakages are safely collected in the floor area
- Can be used in combination with a perforated insert as an additional storage level for containers
- Available material: powder-coated sheet steel (RAL 7035), stainless steel or polypropylene

Shelf and shelf tray



Suitable for larger containers

- The shelves are height-adjustable and can be easily adapted to the height of the containers
- A safety upstand protects the containers from falling down
- Available material: powder-coated sheet steel (RAL 7035) or stainless steel

Accessories



Practical accessories such as plastic sump liner, anti-slip mats or separately lockable storage boxes complement the interior design variants and provide additional comfort and safety when storing and handling the containers

HAVE YOU GOT **SPACE TO WASTE?**

... probably not.

This is exactly the reason why we want to introduce you to the benefits of safety storage cabinets with full drawers.

THE TASK

A situation known to many users:

- Which conditions should be used when clearing the containers in the cabinet?
- Which containers are on the front of the shelves, which are to the rear?
- Which hazardous materials should be placed on one storage level if possible?
- How can it be guaranteed that the containers from the rear rows can be easily and safely removed?



THE SOLUTION

Safety storage cabinets with drawers make these questions redundant!

- Logical storage of small containers
- Easily accessible for storage and removal
- Safe and simple collection of waste materials in waste containers



Convenient – no awkward removal of containers to remove containers from the rear storage area.

The question of whether containers should be at the front or rear does not arise. The full drawer always gives you the **complete overview** of the storage level.

Hazardous materials that should be placed together on a storage level can be easily and **logically arranged in a full drawer. Double your possible storage capacity** in the safety cabinet!

Q-LINE | Q-CLASSIC-90



Model Q90.195.120
Order No. 30001-040-33635



Model Q90.195.120
Order No. 30001-041-33647




Model Q90.195.120
Order No. 30001-046-33649


Technical data

External dimensions W x D x H	mm	1193 x 615 x 1953
Internal dimensions W x D x H	mm	1050 x 522 x 1647
Weight without interior equip.	kg	424
Air change 10 times	m ³ /h	9
Diff. pressure (air change 10 times EK5/AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	1120

Main features

 Robust construction in bi-colour design

 Accessible transport base











 Doors stop at any opening angle

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.120	anthracite grey RAL 7016	warming yellow RAL 1004	30001-040
		light grey RAL 7035	30001-041
		traffic red RAL 3020	30001-046
		gentian blue RAL 5010	30001-047
		reseda green RAL 6011	30001-048
		asecos silver	30001-049
		pure white RAL 9010	30001-050

Interior equipment packages [can only be ordered in combination with the cabinet]	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33635
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33636
3x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33637
4x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33638
3x tray shelf [V=33.0L], 1x perforated insert, 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	33640
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	30816
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33642
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33643
3x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33644
4x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33645
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=33.0L]	stainless steel	30817
3x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30013
4x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30014
4x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33647
5x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33648
6x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33649
4x drawer [V=29.0L]	stainless steel	33651
5x drawer [V=29.0L]	stainless steel	33652
6x drawer [V=29.0L]	stainless steel	33653

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PE black	1000 x 392 x 50*	7223
 Sump inliner for drawer	PP grey	834 x 450 x 96*	10054
 Anti-slip rubber mat for drawer	black	840 x 490 x 1	8699
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

MAXIMUM FLEXIBILITY
 No problem with the Q-CLASSIC-90 including transport base and technical ventilation with optional recirculating air filter system and optional Q-Mover for in-house transport



SHELF
 Height adjustable (32 mm increments), with 30 mm upstand



BOTTOM COLLECTING SUMP
 High storage capacity, optimal for the storage of larger containers, safe collection of leakages



Technical ventilation – an important component for risk minimisation! Products for technical ventilation from asecos help to prevent the formation of explosive atmospheres and harmful vapours.



Further information and suitable solutions for technical ventilation can be found from page 326

Q-LINE | Q-CLASSIC-90



Model Q90.195.120.MM
Order No. 34192-040-34211



Model Q90.195.120.MV
Order No. 34214-041-33657






Model Q90.195.120.MV
Order No. 34214-046-33656

Technical data

		34214	34192
External dimensions W x D x H	mm	1193 x 615 x 1953	1193 x 615 x 1953
Internal dimensions W x D x H	mm	left: 450 x 522 x 1647 right: 450 x 522 x 1647	all compartments: 450 x 522 x 810
Weight without interior equip.	kg	454	460
Air change 10 times	m ³ /h	9	9
Diff. pressure (air change 10 times EK5/ AK4)	Pa	5	5
Entry height transport base	mm	90	90
Entry width transport base	mm	1120	1120

Main features











-  Robust construction in bi-colour design
-  Accessible transport base
-  Dividing walls providing separate storage compartments

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.120.MV	anthracite grey RAL 7016	warning yellow RAL 1004	34214-040
		light grey RAL 7035	34214-041
		traffic red RAL 3020	34214-046
		gentian blue RAL 5010	34214-047
		reseda green RAL 6011	34214-048
		asecos silver	34214-049
		pure white RAL 9010	34214-050
Q90.195.120.MM	anthracite grey RAL 7016	warning yellow RAL 1004	34192-040
		light grey RAL 7035	34192-041
		traffic red RAL 3020	34192-046
		gentian blue RAL 5010	34192-047
		reseda green RAL 6011	34192-048
		asecos silver	34192-049
		pure white RAL 9010	34192-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
Q90.195.120.MV		
Left: 3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	33656
Left: 3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	stainless steel, PP grey	33544
Left: 3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	37694
Left: 3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	stainless steel, PP grey	37695
Left: 6x drawer (V=4.5L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	33657
Left: 6x drawer (V=4.5L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	stainless steel, PP grey	33658
Q90.195.120.MM		
4x shelf, 4x perforated insert, 4x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34211
4x shelf, 4x perforated insert, 4x bottom collecting sump (V=22.0L)	stainless steel	34207
4x shelf, 4x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34210
4x shelf, 4x bottom collecting sump (V=22.0L)	stainless steel	34205
Top: 2x shelf, 2x perforated insert, 2x bottom collecting sump (V=22.0L) Bottom: 2x drawer (V=4.5L), 2x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	34212
Left: 4x drawer (V=4.5L) Right: 2x tray shelf (V=11.0L), 2x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	34213

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner	PP grey	353 x 406 x 88*	9706
 Sump inliner for drawer supply	PP undyed	318 x 449 x 66*	18472
 Anti-slip rubber mat for drawer supply	black	495 x 340 x 1	8719
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220


* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

MAXIMUM FLEXIBILITY
 No problem with the Q-CLASSIC-90 including transport base and technical ventilation with optional recirculating air filter system and optional Q-Mover for in-house transport



Need to store small quantities of various hazardous materials?
 Interior equipment with many variants and **dividing walls** enable the perfect adjustment to different types of hazardous substances in one cabinet.



DRAWERS
 High storage capacity and ideal for the storage of small containers




THE ASECOS HAZMAT GUIDE

... we have collected the most important information on storing and handling hazardous materials safely.

Order your free copy now: www.asecos.global

Q-LINE | Q-CLASSIC-90



Model Q90.195.090
Order No. 30041-040-33622



Model Q90.195.090
Order No. 30041-041-33629






Model Q90.195.090
Order No. 30041-047-33627

Technical data

External dimensions W x D x H	mm	893 x 615 x 1953
Internal dimensions W x D x H	mm	750 x 522 x 1647
Weight without interior equip.	kg	343
Air change 10 times	m ³ /h	6
Diff. pressure (air change 10 times EK5/ AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	820

Main features











-  Robust construction in bi-colour design
-  Accessible transport base
-  Doors stop at any opening angle

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.090	anthracite grey RAL 7016	warning yellow RAL 1004	30041-040
		light grey RAL 7035	30041-041
		traffic red RAL 3020	30041-046
		gentian blue RAL 5010	30041-047
		reseda green RAL 6011	30041-048
		asecos silver	30041-049
		pure white RAL 9010	30041-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33622
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33623
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33624
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33625
3x tray shelf (V=23.5L), 1x bottom collecting sump (V=39.5L)	sheet steel powder-coated RAL 7035	30818
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30047
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30048
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30049
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30050
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30819
3x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30051
4x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30052
4x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33627
5x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33628
6x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33629
4x drawer (V=19.0L)	stainless steel	33631
5x drawer (V=19.0L)	stainless steel	33632
6x drawer (V=19.0L)	stainless steel	33633

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.	
	Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
	Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
	Sump inliner for shelf	PP grey	653 x 406 x 88*	9707
	Sump inliner for drawer	PP grey	534 x 450 x 96*	27948
	Anti-slip rubber mat for drawer	black	540 x 490 x 1	15653
	Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
	Base cover	sheet steel powder-coated textured RAL 7016	818 x 35 x 85	30069
	Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
	Box for chemicals	PP blue	410 x 300 x 260	30038
	Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

MAXIMUM FLEXIBILITY
 No problem with the Q-CLASSIC-90 including transport base and technical ventilation with optional recirculating air filter system and optional Q-Mover for in-house transport




DRAWERS
 High storage capacity and ideal for the storage of small containers



SHELF
 Height adjustable (32 mm increments), with 30 mm upstand



ARE YOU LOOKING FOR AN APPROPRIATE STORAGE SOLUTION FOR HAZARDOUS MATERIALS?
 Our optimised online product configurator helps you, step by step, to find the suitable safety storage cabinet.
 Take the test: www.asecos-configurator.com

Q-LINE | Q-CLASSIC-90



Model Q90.195.060
Order No. 30072-040-33600



Model Q90.195.060
Order No. 30072-047-33610




Model Q90.195.060
Order No. 30072-046-33608


Technical data

External dimensions W x D x H	mm	599 x 615 x 1953
Internal dimensions W x D x H	mm	450 x 522 x 1647
Weight without interior equip.	kg	265
Air change 10 times	m ³ /h	4
Diff. pressure (air change 10 times EK5/ AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	526

Main features

 Robust construction in bi-colour design

 Accessible transport base












 Doors stop at any opening angle

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.060	anthracite grey RAL 7016	warning yellow RAL 1004	Door hinge: left 30072-040 right 30073-040
		light grey RAL 7035	30072-041 30073-041
		traffic red RAL 3020	30072-046 30073-046
		gentian blue RAL 5010	30072-047 30073-047
		reseda green RAL 6011	30072-048 30073-048
		asecos silver	30072-049 30073-049
		pure white RAL 9010	30072-050 30073-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	Door hinge: left 33600 right 34371
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33602 34372
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33603 34373
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33604 34374
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	33606 34375
3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30820 34369
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30081 33412
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30082 33413
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30083 33414
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30084 33415
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	stainless steel	30085 33416
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30821 34370
3x tray shelf metal free (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30086 33417
4x tray shelf metal free (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30087 33418
4x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33608 34376
5x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33609 34377
6x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33610 34378
4x drawer (V=4.5L)	stainless steel	33616 34381
5x drawer (V=4.5L)	stainless steel	33617 34382
6x drawer (V=4.5L)	stainless steel	33618 34383
3x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	stainless steel	33619 34384
4x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	stainless steel	33620 34385
3x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	sheet steel powder-coated RAL 7035	33612 34379
4x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	sheet steel powder-coated RAL 7035	33613 34380

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner	PP grey	353 x 406 x 88*	9706
 Sump inliner for drawer supply	PP undyed	318 x 449 x 66*	18472
 Sump inliner for drawer disposal	PE white	313 x 484 x 71*	40171
 Anti-slip rubber mat for drawer supply	black	495 x 340 x 1	8719
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	524 x 35 x 85	30112
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220


* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
 info@asecos.com – together with our experts you will find the right solution.

MAXIMUM FLEXIBILITY
 No problem with the Q-CLASSIC-90 including transport base and technical ventilation with optional recirculating air filter system and optional Q-Mover for in-house transport




SHELF
 Height adjustable (32 mm increments), with 30 mm upstand



METAL-FREE TRAY SHELVES
 with chemical resistant surface lamination, ideal for the storage of flammable, aggressive hazardous substances



THE ASECOS HAZMAT GUIDE

... we have collected the most important information on storing and handling hazardous materials safely.

Order your free copy now: www.asecos.global

Q-LINE | Q-CLASSIC-90 | Triple Certified



Model Q90.195.120.FU.WDAS
Order No. 37584-040-34637



Model Q90.195.090.FU.WDAS
Order No. 37585-040-34628



Model Q90.195.060.FU.WDAS
Order No. 37586-040-34617

Technical data		37584	37585	37586 / 37587
External dimensions W x D x H	mm	1193 x 615 x 1953	893 x 615 x 1953	599 x 615 x 1953
Internal dimensions W x D x H	mm	1050 x 522 x 1647	750 x 522 x 1647	450 x 522 x 1647
Weight without interior equip.	kg	424	343	265
Air change 10 times	m ³ /h	9	6	4
Diff. pressure (air change 10 times EK5/AK4)	Pa	5	5	5
Entry height transport base	mm	90	90	90
Entry width transport base	mm	1120	820	526

Main features



Robust construction in bi-colour design



Accessible transport base



TRIPLE CERTIFIED





You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.120.FU.WDAS	anthracite grey RAL 7016	warning yellow RAL 1004	37584-040
		light grey RAL 7035	37584-041
Q90.195.090.FU.WDAS	anthracite grey RAL 7016	warning yellow RAL 1004	37585-040
		light grey RAL 7035	37585-041
Q90.195.060.FU.WDAS	anthracite grey RAL 7016	warning yellow RAL 1004	37586-040
		light grey RAL 7035	37586-041

Door hinge: left right

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
Q90.195.120.FU.WDAS		
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34637
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34638
3x shelf, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34639
4x shelf, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34640
3x tray shelf (V=33.0L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37588
4x tray shelf (V=33.0L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37591
3x tray shelf (V=33.0L), 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37600
4x tray shelf (V=33.0L), 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37603
Q90.195.090.FU.WDAS		
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34628
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34629
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34630
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34631
3x tray shelf (V=23.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37589
4x tray shelf (V=23.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37592
3x tray shelf (V=23.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37601
4x tray shelf (V=23.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37604
Q90.195.060.FU.WDAS(R)		
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34617
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34618
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34615
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34616
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37590
4x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37593
3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37602
4x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37605


Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
	sheet steel powder-coated textured RAL 7016	524 x 35 x 85	30112
 Base cover	sheet steel powder-coated textured RAL 7016	818 x 35 x 85	30069
	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037

Ventilation	Order No.
Extraction unit without exhaust air monitoring	14218

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
 info@asecos.com – together with our experts you will find the right solution.



3D

Discover our products in the
 virtual **3D showroom:**
www.asecos-showroom.com



Q-LINE | Q-PEGASUS-90

Safety storage cabinets for unrestricted storage of flammable hazardous materials in work areas in accordance with EN 14470-1 and TRGS 510

1

Robust talent

Extremely robust design with scratch-proof surface.



2

One hand operation

One-hand operation for double-door cabinets. Container remains in one hand whilst opening.



3

Door open arrest system with serial automatic door closing

Doors remain open with the serial door open arrest system, convenient and safe removal or storage of containers. Doors close automatically after approx. 60 seconds. Acoustic and visual signal before closing.



4

High flexibility

Integrated transport base for simple inhouse transport, cabinet can be transported upright through doors (all Q-LINE models).



5

Modern bicolour design

Brings colour to your workplace: choice of seven door colours at no extra cost. Language-free labelling for optimum international usability.



6

Cylinder lock with locking status indicator

Doors lockable with cylinder lock; the cabinets can be integrated by the customer in an existing master key system. Locking status indicator (red/green) signals the locking status of the cabinet.



7

Technical ventilation

Integrated air ducts ready for connection (DN 75) to a technical exhaust system can be used for the extraction of hazardous substances vapours. The potential formation of explosive atmospheres or harmful vapours is safely prevented.





- **Fire resistance of 90 minutes** (type 90), type-tested in accordance with EN 14470-1



- **GS-tested** (document EK5/AK4 09-10, ProdSG)
- **50,000** wear-free opening and closing actions
- Test basis: all cabinets of this model group correspond to the requirements of the Product Safety Act (§21 Para. 1) with respect to the guarantee of safety and health



- Conformity in accordance with the requirements of **EN 16121** and **16122**
- Requirements and test methods for safety, strength, durability and stability.



- **Excellent products with special manufacturer warranty**
- Extended **manufacturer warranty of up to ten years** in connection with the asecos PREMIUM tariff
- Further information from page 494



Interior equipment

Our numerous cabinet models can be easily adapted to a variety of storage requirements thanks to the wide range of interior equipment options. Depending on requirements, interior equipment packages with the following components are available:

Drawer



Ideally suited for the storage of small containers up to 5 L, spray cans or compressed gas cans

- The extended drawer provides an overview of all stored hazardous materials
- All containers can be conveniently and safely removed or adjusted
- The drawers are self-closing in case of fire or have a permanent self-closing mechanism
- Available material: powder-coated sheet steel (RAL 7035) or stainless steel

Metal-free storage level



Optimally suited for the storage of flammable and slightly aggressive hazardous materials.

- The tray shelf with chemically resistant surface coating and plastic sump offers a high level of corrosion protection
- The plastic sump is mounted on the tray shelf to prevent it from tipping and pulling out, and can be easily removed if necessary
- Available material: polypropylene (grey)

Bottom collecting sump and perforated insert



High quality bottom collecting sumps

- Possible leakages are safely collected in the floor area
- Can be used in combination with a perforated insert as an additional storage level for containers
- Available material: powder-coated sheet steel (RAL 7035), stainless steel or polypropylene

Shelf and shelf tray



Suitable for larger containers

- The shelves are height-adjustable and can be easily adapted to the height of the containers
- A safety upstand protects the containers from falling down
- Available material: powder-coated sheet steel (RAL 7035) or stainless steel

Accessories



Practical accessories such as plastic sump liner, anti-slip mats or separately lockable storage boxes complement the interior design variants and provide additional comfort and safety when storing and handling the containers

HAVE YOU GOT **SPACE TO WASTE?**

... probably not.

This is exactly the reason why we want to introduce you to the benefits of safety storage cabinets with full drawers.

THE TASK

A situation known to many users:

- Which conditions should be used when clearing the containers in the cabinet?
- Which containers are on the front of the shelves, which are to the rear?
- Which hazardous materials should be placed on one storage level if possible?
- How can it be guaranteed that the containers from the rear rows can be easily and safely removed?



THE SOLUTION

Safety storage cabinets with drawers make these questions redundant!

- Logical storage of small containers
- Easily accessible for storage and removal
- Safe and simple collection of waste materials in waste containers



Convenient – no awkward removal of containers to remove containers from the rear storage area.

The question of whether containers should be at the front or rear does not arise. The full drawer always gives you the **complete overview** of the storage level.

Hazardous materials that should be placed together on a storage level can be easily and **logically arranged in a full drawer. Double your possible storage capacity** in the safety cabinet!

Q-LINE | Q-PEGASUS-90



Model Q90.195.120.WDAC
Order No. 30002-040-33635



Model Q90.195.120.WDAC
Order No. 30002-048-33649



Model Q90.195.120.WDAC
Order No. 30002-050-33647

Technical data

External dimensions W x D x H	mm	1193 x 615 x 1953
Internal dimensions W x D x H	mm	1050 x 522 x 1647
Weight without interior equip.	kg	424
Air change 10 times	m ³ /h	9
Diff. pressure (air change 10 times EK5/ AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	1120

Main features



Robust construction in bi-colour design



Accessible transport base













Doors with one-hand operation (AGT), door open-arrest system and automatic door closing (TSA)

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.120.WDAC	anthracite grey RAL 7016	warming yellow RAL 1004	30002-040
		light grey RAL 7035	30002-041
		traffic red RAL 3020	30002-046
		gentian blue RAL 5010	30002-047
		reseda green RAL 6011	30002-048
		asecos silver	30002-049
		pure white RAL 9010	30002-050

Interior equipment packages [can only be ordered in combination with the cabinet]	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33635
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33636
3x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33637
4x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33638
3x tray shelf [V=33.0L], 1x perforated insert, 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	33640
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	30816
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33642
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33643
3x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33644
4x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33645
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=33.0L]	stainless steel	30817
3x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30013
4x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30014
4x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33647
5x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33648
6x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33649
4x drawer [V=29.0L]	stainless steel	33651
5x drawer [V=29.0L]	stainless steel	33652
6x drawer [V=29.0L]	stainless steel	33653

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PE black	1000 x 392 x 50*	7223
 Sump inliner for drawer	PP grey	834 x 450 x 96*	10054
 Anti-slip rubber mat for drawer	black	840 x 490 x 1	8699
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.


Are you looking for a comfortable storage solution for your hazardous material containers?



Operate **two doors** with **one hand!**

MAXIMUM FLEXIBILITY

No problem with the Q-PEGASUS-90 including transport base and technical ventilation with optional **recirculating air filter system** and optional **Q-Mover** for in-house transport



DRAWERS

High storage capacity and ideal for the storage of small containers



Technical ventilation – an important component for risk minimisation! Products for technical ventilation from asecos help to prevent the formation of explosive atmospheres and harmful vapours.



Further information and suitable solutions for technical ventilation can be found from page 326

Q-LINE | Q-PEGASUS-90



Model Q90.195.090.WDAC
Order No. 30042-040-33622



Model Q90.195.090.WDAC
Order No. 30042-046-33627



Model Q90.195.090.WDAC
Order No. 30042-047-33629

Technical data

External dimensions W x D x H	mm	893 x 615 x 1953
Internal dimensions W x D x H	mm	750 x 522 x 1647
Weight without interior equip.	kg	343
Air change 10 times	m ³ /h	6
Diff. pressure (air change 10 times EK5/ AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	820

Main features



Robust construction in bi-colour design



Accessible transport base













Doors with one-hand operation (AGT), door open-arrest system and automatic door closing (TSA)

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.090.WDAC	anthracite grey RAL 7016	warning yellow RAL 1004	30042-040
		light grey RAL 7035	30042-041
		traffic red RAL 3020	30042-046
		gentian blue RAL 5010	30042-047
		reseda green RAL 6011	30042-048
		asecos silver	30042-049
		pure white RAL 9010	30042-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33622
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33623
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33624
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33625
3x tray shelf (V=23.5L), 1x bottom collecting sump (V=39.5L)	sheet steel powder-coated RAL 7035	30818
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30047
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30048
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30049
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30050
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30819
3x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30051
4x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30052
4x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33627
5x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33628
6x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33629
4x drawer (V=19.0L)	stainless steel	33631
5x drawer (V=19.0L)	stainless steel	33632
6x drawer (V=19.0L)	stainless steel	33633

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PP grey	653 x 406 x 88*	9707
 Sump inliner for drawer	PP grey	534 x 450 x 96*	27948
 Anti-slip rubber mat for drawer	black	540 x 490 x 1	15653
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	818 x 35 x 85	30069
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

Are you looking for a comfortable storage solution for your hazardous material containers?



Operate **two doors** with **one hand!**



SHELF
 Height adjustable (32 mm increments), with 30 mm upstand

BOTTOM COLLECTING SUMP
 High storage capacity, optimal for the storage of larger containers, safe collection of leakages



ARE YOU LOOKING FOR AN APPROPRIATE STORAGE SOLUTION FOR HAZARDOUS MATERIALS?



Our optimised online product configurator helps you, step by step, to find the suitable safety storage cabinet. Take the test: www.asecos-configurator.com

Q-LINE | Q-PEGASUS-90



Model Q90.195.060.WDAC
Order No. 30074-040-33600



Model Q90.195.060.WDAC
Order No. 30074-046-33608






Model Q90.195.060.WDAC
Order No. 30074-047-33610

Technical data

External dimensions W x D x H	mm	599 x 615 x 1953
Internal dimensions W x D x H	mm	450 x 522 x 1647
Weight without interior equip.	kg	265
Air change 10 times	m ³ /h	4
Diff. pressure (air change 10 times EK5/ AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	526

Main features












-  Robust construction in bi-colour design
-  Accessible transport base
-  Door with open-arrest system and automatic door closing (TSA)

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.060.WDAC	anthracite grey RAL 7016	warning yellow RAL 1004	Door hinge: left 30074-040 right 30075-040
		light grey RAL 7035	30074-041 30075-041
		traffic red RAL 3020	30074-046 30075-046
		gentian blue RAL 5010	30074-047 30075-047
		reseda green RAL 6011	30074-048 30075-048
		asecos silver	30074-049 30075-049
		pure white RAL 9010	30074-050 30075-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
		Door hinge: left right
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33600 34371
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33602 34372
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33603 34373
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33604 34374
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	33606 34375
3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30820 34369
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30081 33412
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30082 33413
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30083 33414
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30084 33415
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	stainless steel	30085 33416
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30821 34370
3x tray shelf metal free (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30086 33417
4x tray shelf metal free (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30087 33418
4x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33608 34376
5x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33609 34377
6x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33610 34378
4x drawer (V=4.5L)	stainless steel	33616 34381
5x drawer (V=4.5L)	stainless steel	33617 34382
6x drawer (V=4.5L)	stainless steel	33618 34383
3x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	stainless steel	33619 34384
4x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	stainless steel	33620 34385
3x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	sheet steel powder-coated RAL 7035	33612 34379
4x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	sheet steel powder-coated RAL 7035	33613 34380


Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner	PP grey	353 x 406 x 88*	9706
 Sump inliner for drawer supply	PP undyed	318 x 449 x 66*	18472
 Sump inliner for drawer disposal	PE white	313 x 484 x 71*	40171
 Anti-slip rubber mat for drawer supply	black	495 x 340 x 1	8719
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	524 x 35 x 85	30112
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220


* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
 info@asecos.com – together with our experts you will find the right solution.



METAL-FREE TRAY SHELVES
 with chemical resistant surface lamination,
 ideal for the storage of flammable,
 aggressive hazardous substances

MAXIMUM FLEXIBILITY
 No problem with the Q-PEGASUS-90 including transport base and technical ventilation with optional recirculating air filter system and optional Q-Mover for in-house transport




DRAWERS
 High storage capacity and ideal for the storage of small containers



THE ASECOS HAZMAT GUIDE

... we have collected the most important information on storing and handling hazardous materials safely.

Order your free copy now: www.asecos.global

Q-LINE | Q-PHOENIX-90

Safety storage cabinets for unrestricted storage of flammable hazardous materials in work areas in accordance with EN 14470-1 and TRGS 510

1

Robust talent

Extremely robust design with scratch-proof surface.



2

The space-saving talent

Space-saving folding doors, ideal for use in case of narrow passage widths in front of the cabinet. Continuous anti-trapping door strips on the folding doors offer maximum protection during operation.



3

High flexibility

Integrated transport base for simple inhouse transport, cabinet can be transported upright through doors (all Q-LINE models).



4

Modern bicolour design

Choice of two door colours at no extra cost. Language-free labelling for optimum international usability.



5

Cylinder lock with locking status indicator

Doors lockable with cylinder lock; the cabinets can be integrated by the customer in an existing master key system. Locking status indicator (red/green) signals the locking status of the cabinet.



6

Technical ventilation

Integrated air ducts ready for connection (DN 75) to a technical exhaust system can be used for the extraction of hazardous substances vapours. The potential formation of explosive atmospheres or harmful vapours is safely prevented.





- **Fire resistance of 90 minutes** (type 90), type-tested in accordance with EN 14470-1



- **GS-tested** (document EK5/AK4 09-10, ProdSG)
- **50,000** wear-free opening and closing actions
- Test basis: all cabinets of this model group correspond to the requirements of the Product Safety Act (§21 Para. 1) with respect to the guarantee of safety and health



- Conformity in accordance with the requirements of **EN 16121** and **16122**
- Requirements and test methods for safety, strength, durability and stability.



- **Excellent products with special manufacturer warranty**
- Extended **manufacturer warranty of up to ten years** in connection with the asecos PREMIUM tariff
- Further information from page 494



Q-LINE | Q-PHOENIX-90



Model Q90.195.120.FD
Order No. 32149-040-33635



Model Q90.195.120.FD
Order No. 32149-040-33647






Model Q90.195.120.FD
Order No. 32149-041-33649

Technical data

External dimensions W x D x H	mm	1193 x 615 x 1953
Internal dimensions W x D x H	mm	1050 x 522 x 1647
Weight without interior equip.	kg	424
Air change 10 times	m ³ /h	9
Diff. pressure (air change 10 times EK5/AK4)	Pa	5
Entry height transport base	mm	90
Entry width transport base	mm	1120

Main features











-  Robust construction in bi-colour design
-  Accessible transport base
-  Space-saving folding doors

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q90.195.120.FD	anthracite grey RAL 7016	warning yellow RAL 1004	32149-040
		light grey RAL 7035	32149-041

Interior equipment packages [can only be ordered in combination with the cabinet]	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33635
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33636
3x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33637
4x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33638
3x tray shelf [V=33.0L], 1x perforated insert, 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	33640
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	30816
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33642
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33643
3x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33644
4x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33645
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=33.0L]	stainless steel	30817
3x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30013
4x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30014
4x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33647
5x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33648
6x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33649
4x drawer [V=29.0L]	stainless steel	33651
5x drawer [V=29.0L]	stainless steel	33652
6x drawer [V=29.0L]	stainless steel	33653

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PE black	1000 x 392 x 50*	7223
 Sump inliner for drawer	PP grey	834 x 450 x 96*	10054
 Anti-slip rubber mat for drawer	black	840 x 490 x 1	8699
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.


MAXIMUM FLEXIBILITY
 No problem with the Q-PHOENIX-90 including transport base and technical ventilation with optional **recirculating air filter system** and optional **Q-Mover** for in-house transport



SPACE SAVING FOLDING DOORS
 Perfectly suited for use in confined spaces and narrow passage widths.



Capture and filter hydrocarbon vapours with our recirculating air filter unit.
 Benefit from the reliable technical ventilation of your safety storage cabinets without the need for complex connections to exhaust air ducts.



Further information from page 330

3D Discover our products in the virtual **3D showroom:**
www.asecos-showroom.com



Q-LINE | Q-CLASSIC-30

Safety storage cabinets for the storage of flammable hazardous materials in working areas according to EN 14470-1 and TRGS 510

1

Optimised design

To meet the minimum requirements for the storage of flammable hazardous materials in workrooms. Very good price-performance ratio.



2

Lock

Lockable doors with a central locking system.



3

High flexibility

Integrated transport base for simple inhouse transport, cabinet can be transported upright through doors (all Q-LINE models).



4

Modern bicolour design


Brings colour to your workplace: choice of seven door colours at no extra cost. Language-free labelling for optimum international usability.



5

Cylinder lock

Door lockable with cylinder lock, the cabinets can be integrated by the customer into an existing locking system.



6

Technical ventilation

Integrated air ducts ready for connection (DN 75) to a technical exhaust system can be used for the extraction of hazardous substances vapours. The potential formation of explosive atmospheres or harmful vapours is safely prevented.



7

TRIPLE CERTIFIED Safety storage cabinets offer maximum protection

Certified according to EN 14470-1 as well as the FM and UL standards. The cabinets are suitable for international use.





- **Fire resistance of 30 minutes** (type 30), type-tested in accordance with EN 14470-1



- **GS-tested** (document EK5/AK4 09-10, ProdSG)
- **50,000** wear-free opening and closing actions
- Test basis: all cabinets of this model group correspond to the requirements of the Product Safety Act (§21 Para. 1) with respect to the guarantee of safety and health



- Conformity in accordance with the requirements of **EN 16121** and **16122**
- Requirements and test methods for safety, strength, durability and stability.



- **Excellent products with special manufacturer warranty**
- Extended **manufacturer warranty of up to 5 years** in combination with the asecos BASICPlus tariff
- Further information from page 494



- Certain cabinets of this model group have been additionally tested in accordance with **FM Standard 6050** and are compliant to NFPA Code 30, NFPA 1 Fire Code, OSHA
- Further information on these models from page 82



Interior equipment

Our numerous cabinet models can be easily adapted to a variety of storage requirements thanks to the wide range of interior equipment options. Depending on requirements, interior equipment packages with the following components are available:

Drawer



Ideally suited for the storage of small containers up to 5 L, spray cans or compressed gas cans

- The extended drawer provides an overview of all stored hazardous materials
- All containers can be conveniently and safely removed or adjusted
- The drawers are self-closing in case of fire or have a permanent self-closing mechanism
- Available material: powder-coated sheet steel (RAL 7035) or stainless steel

Metal-free storage level



Optimally suited for the storage of flammable and slightly aggressive hazardous materials.

- The tray shelf with chemically resistant surface coating and plastic sump offers a high level of corrosion protection
- The plastic sump is mounted on the tray shelf to prevent it from tipping and pulling out, and can be easily removed if necessary
- Available material: polypropylene (grey)

Bottom collecting sump and perforated insert



High quality bottom collecting sumps

- Possible leakages are safely collected in the floor area
- Can be used in combination with a perforated insert as an additional storage level for containers
- Available material: powder-coated sheet steel (RAL 7035), stainless steel or polypropylene

Shelf and shelf tray



Suitable for larger containers

- The shelves are height-adjustable and can be easily adapted to the height of the containers
- A safety upstand protects the containers from falling down
- Available material: powder-coated sheet steel (RAL 7035) or stainless steel

Accessories



Practical accessories such as plastic sump liner, anti-slip mats or separately lockable storage boxes complement the interior design variants and provide additional comfort and safety when storing and handling the containers

HAVE YOU GOT **SPACE TO WASTE?**

... probably not.

This is exactly the reason why we want to introduce you to the benefits of safety storage cabinets with full drawers.

THE TASK

A situation known to many users:

- Which conditions should be used when clearing the containers in the cabinet?
- Which containers are on the front of the shelves, which are to the rear?
- Which hazardous materials should be placed on one storage level if possible?
- How can it be guaranteed that the containers from the rear rows can be easily and safely removed?



THE SOLUTION

Safety storage cabinets with drawers make these questions redundant!

- Logical storage of small containers
- Easily accessible for storage and removal
- Safe and simple collection of waste materials in waste containers



Convenient – no awkward removal of containers to remove containers from the rear storage area.

The question of whether containers should be at the front or rear does not arise. The full drawer always gives you the **complete overview** of the storage level.

Hazardous materials that should be placed together on a storage level can be easily and **logically arranged in a full drawer. Double your possible storage capacity** in the safety cabinet!

Q-LINE | Q-CLASSIC-30



Model Q30.195.116
Order No. 31003-060-33635



Model Q30.195.116
Order No. 31003-061-33647



Model Q30.195.116
Order No. 31003-067-33649

Technical data

External dimensions W x D x H	mm	1164 x 620 x 1947
Internal dimensions W x D x H	mm	1050 x 519 x 1626
Weight without interior equip.	kg	240
Air change 10 times	m ³ /h	9
Diff. pressure (air change 10 times EK5/ AK4)	Pa	10
Entry height transport base	mm	90
Entry width transport base	mm	1012

Main features



Robust construction in bi-colour design












Accessible transport base

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q30.195.116	anthracite grey	warming yellow RAL 1004	31003-060
		light grey RAL 7035	31003-061
		traffic red RAL 3020	31003-066
		gentian blue RAL 5010	31003-067
		reseda green RAL 6011	31003-068
		asecos silver	31003-069
		pure white RAL 9010	31003-070

Interior equipment packages [can only be ordered in combination with the cabinet]	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33635
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33636
3x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33637
4x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33638
3x tray shelf [V=33.0L], 1x perforated insert, 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	33640
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	30816
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33642
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33643
3x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33644
4x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33645
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=33.0L]	stainless steel	30817
3x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30013
4x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30014
4x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33647
5x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33648
6x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33649
4x drawer [V=29.0L]	stainless steel	33651
5x drawer [V=29.0L]	stainless steel	33652
6x drawer [V=29.0L]	stainless steel	33653

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PE black	1000 x 392 x 50*	7223
 Sump inliner for drawer	PP grey	834 x 450 x 96*	10054
 Anti-slip rubber mat for drawer	black	840 x 490 x 1	8699
 Base cover	panel melamine resin-coated RAL 7016	1086 x 536 x 88	31925
 Base cover with adjusting device (available for order only in combination with cabinet)	panel melamine resin-coated RAL 7016	1086 x 536 x 88	31005
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

MAXIMUM FLEXIBILITY
 No problem with the Q-CLASSIC-30 including transport base and technical ventilation with optional **recirculating air filter system** and optional **Q-Mover** for in-house transport




SHELF
 Height adjustable (32 mm increments), with 30 mm upstand



DRAWERS
 High storage capacity and ideal for the storage of small containers



SAFETY STORAGE CABINETS ONLY PROVIDE RELIABLE PROTECTION ...

... for humankind, environment and property when they are maintained professionally! With the **asecos services** you are always on the safe side.

You can find our service tariffs from page 494

Q-LINE | Q-CLASSIC-30



Model Q30.195.086.WD
Order No. 31008-060-33622



Model Q30.195.086.WD
Order No. 31008-060-33622






Model Q30.195.086.WDFW
Order No. 32781-061-33629

Technical data

External dimensions W x D x H	mm	864 x 620 x 1947
Internal dimensions W x D x H	mm	750 x 519 x 1626
Weight without interior equip.	kg	195
Air change 10 times	m ³ /h	6
Diff. pressure (air change 10 times EK5/AK4)	Pa	10
Entry height transport base	mm	90
Entry width transport base	mm	788

Main features










-  Robust construction in bi-colour design
-  Accessible transport base
-  Model WDFW with glass-fronted wing door

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.	
Q30.195.086.WD	anthracite grey	warning yellow RAL 1004	Door hinge: left 31008-060	right 31009-060
		light grey RAL 7035	31008-061	31009-061
		traffic red RAL 3020	31008-066	31009-066
		gentian blue RAL 5010	31008-067	31009-067
		reseda green RAL 6011	31008-068	31009-068
		asecos silver	31008-069	31009-069
		pure white RAL 9010	31008-070	31009-070
		Q30.195.086.WDFW	anthracite grey	warning yellow RAL 1004
light grey RAL 7035	32781-061			
traffic red RAL 3020	32781-066			

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33622
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33623
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33624
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33625
3x tray shelf (V=23.5L), 1x bottom collecting sump (V=39.5L)	sheet steel powder-coated RAL 7035	30818
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30047
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30048
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30049
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30050
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30819
3x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30051
4x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30052
4x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33627
5x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33628
6x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33629
4x drawer (V=19.0L)	stainless steel	33631
5x drawer (V=19.0L)	stainless steel	33632
6x drawer (V=19.0L)	stainless steel	33633

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PE black	1000 x 392 x 50*	7223
 Sump inliner for drawer	PP grey	834 x 450 x 96*	10054
 Anti-slip rubber mat for drawer	black	840 x 490 x 1	8699
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

LARGE STORAGE CAPACITY

OUTSTANDING PRICE PERFORMANCE



MAXIMUM FLEXIBILITY

No problem with the Q-CLASSIC-30 including transport base and technical ventilation with optional recirculating air filter system and optional Q-Mover for in-house transport



DRAWERS

High storage capacity and ideal for the storage of small containers




THE ASECOS HAZMAT GUIDE

... we have collected the most important information on storing and handling hazardous materials safely.

Order your free copy now: www.asecos.global

Q-LINE | Q-CLASSIC-30



Model Q30.195.056
Order No. 31002-060-33600



Model Q30.195.056
Order No. 31002-066-33608



Model Q30.195.056
Order No. 31002-061-33610

Technical data

External dimensions W x D x H	mm	564 x 620 x 1947
Internal dimensions W x D x H	mm	450 x 519 x 1626
Weight without interior equip.	kg	146
Air change 10 times	m ³ /h	4
Diff. pressure (air change 10 times EK5/ AK4)	Pa	10
Entry height transport base	mm	90
Entry width transport base	mm	412

Main features



Robust construction in bi-colour design














Accessible transport base

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.	
			Door hinge: left	right
Q30.195.056	anthracite grey	warning yellow RAL 1004	31002-060	31007-060
		light grey RAL 7035	31002-061	31007-061
		traffic red RAL 3020	31002-066	31007-066
		gentian blue RAL 5010	31002-067	31007-067
		reseda green RAL 6011	31002-068	31007-068
		asecos silver	31002-069	31007-069
		pure white RAL 9010	31002-070	31007-070

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.	
		Door hinge: left	right
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33600	34371
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33602	34372
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33603	34373
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33604	34374
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	33606	34375
3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30820	34369
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30081	33412
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30082	33413
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30083	33414
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30084	33415
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	stainless steel	30085	33416
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30821	34370
3x tray shelf metal free (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30086	33417
4x tray shelf metal free (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30087	33418
4x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33608	34376
5x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33609	34377
6x drawer (V=4.5L)	sheet steel powder-coated RAL 7035	33610	34378
4x drawer (V=4.5L)	stainless steel	33616	34381
5x drawer (V=4.5L)	stainless steel	33617	34382
6x drawer (V=4.5L)	stainless steel	33618	34383
3x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	stainless steel	33619	34384
4x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	stainless steel	33620	34385
3x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	sheet steel powder-coated RAL 7035	33612	34379
4x drawer (V=4.5L), 1x drawer (disposal) (V=75L)	sheet steel powder-coated RAL 7035	33613	34380

Accessories for these cabinet models:


Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner	PP grey	353 x 406 x 88*	9706
 Sump inliner for drawer supply	PP undyed	318 x 449 x 66*	18472
 Anti-slip rubber mat for drawer supply	black	495 x 340 x 1	8719
 Sump inliner for drawer disposal	PE white	313 x 484 x 71*	40171
 Base cover with adjusting device (available for order only in combination with cabinet)	panel melamine resin-coated RAL 7016	486 x 536 x 88	31004
 Base cover	panel melamine resin-coated RAL 7016	486 x 536 x 88	31923
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035

Ventilation	Order No.
Recirculating air filter system with exhaust air monitoring for tall and underbench cabinets	39306
Extraction unit without exhaust air monitoring	14218
Extraction unit with exhaust air monitoring	14220

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.


MAXIMUM FLEXIBILITY
 No problem with the Q-CLASSIC-30 including transport base and technical ventilation with optional **recirculating air filter system** and optional **Q-Mover** for in-house transport

METAL-FREE TRAY SHELVES
 with chemical resistant surface lamination, ideal for the storage of flammable, aggressive hazardous substances



DRAWERS
 High storage capacity and ideal for the storage of small containers



ARE YOU LOOKING FOR AN APPROPRIATE STORAGE SOLUTION FOR HAZARDOUS MATERIALS?
 Our optimised online product configurator helps you, step by step, to find the suitable safety storage cabinet.
 Take the test: www.asecos-configurator.com

Q-LINE | Q-CLASSIC-30 | Triple Certified



Model Q30.195.116.FU.WDAS
Order No. 37579-060-34637



Model Q30.195.086.FU.WDAS
Order No. 37580-060-34628



Model Q30.195.056.FU.WDAS
Order No. 37582-060-34617

Technical data

		37579	37580 / 37581	37582 / 37583
External dimensions W x D x H	mm	1164 x 620 x 1947	864 x 620 x 1947	564 x 620 x 1947
Internal dimensions W x D x H	mm	1050 x 519 x 1626	750 x 519 x 1626	450 x 519 x 1626
Weight without interior equip.	kg	240	195	146
Air change 10 times	m ³ /h	9	6	4
Diff. pressure (air change 10 times EK5/AK4)	Pa	10	10	10
Entry height transport base	mm	90	90	90
Entry width transport base	mm	1012	788	412

Main features



Bi-colour design



Accessible transport base










TRIPLE CERTIFIED

You will find technical drawings and adjustment heights for these cabinet models from page 84

Model	Body colour	Door colour	Order No.
Q30.195.116.FU.WDAS	anthracite grey	warning yellow RAL 1004 light grey RAL 7035	37579-060 37579-061
			Door hinge: left right
Q30.195.086.FU.WDAS	anthracite grey	warning yellow RAL 1004 light grey RAL 7035	37580-060 37581-061
			Door hinge: left right
Q30.195.056.FU.WDAS	anthracite grey	warning yellow RAL 1004 light grey RAL 7035	37582-060 37583-061
			Door hinge: left right

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
Q30.195.116.FU.WDAS		
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34637
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34638
3x shelf, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34639
4x shelf, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	34640
3x tray shelf (V=33.0L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37588
4x tray shelf (V=33.0L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37591
3x tray shelf (V=33.0L), 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37600
4x tray shelf (V=33.0L), 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	37603
Q30.195.086.FU.WDAS(R)		
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34628
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34629
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34630
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34631
3x tray shelf (V=23.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37589
4x tray shelf (V=23.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37592
3x tray shelf (V=23.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37601
4x tray shelf (V=23.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37604
Q30.195.056.FU.WDAS(R)		
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34617
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34618
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34615
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	34616
3x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37590
4x tray shelf (V=11.5L), 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37593
3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37602
4x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	37605

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
	panel melamine resin-coated RAL 7016	486 x 536 x 88	31923
 Base cover	panel melamine resin-coated RAL 7016	786 x 536 x 88	31924
	panel melamine resin-coated RAL 7016	1086 x 536 x 88	31925
	panel melamine resin-coated RAL 7016	486 x 536 x 88	31004
 Base cover with adjusting device (available for order only in combination with cabinet)	panel melamine resin-coated RAL 7016	786 x 536 x 88	31010
	panel melamine resin-coated RAL 7016	1086 x 536 x 88	31005
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037

Ventilation	Order No.
Extraction unit without exhaust air monitoring	14218

* usable storage space W x D (mm)

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
 info@asecos.com – together with our experts you will find the right solution.



3D Discover our products in the
 virtual **3D showroom:**
www.asecos-showroom.com