

E-LINE | E-CLASSIC

Safe and approved storage of water pollutants in working areas

1

Type 30 safety box

Optionally available with a type 30 safety box for the safe storage of small quantities of flammable hazardous materials.



2

Ventilation


Ready for connection to a technical exhaust system, natural ventilation at the cabinet bottom.



3

No unauthorised use

Doors lockable with profile cylinder and cylinder lock.



4


Interior equipment

Equipped with galvanised tray shelves and bottom collecting sump for large containers and canisters. Leakages are safely collected.





E-CLASSIC | model class with wing doors



E-CLASSIC-UF | model class with wing doors and type 30-safety box



E-PSM-UF | model class with wing doors and type 30-safety box



E-LINE | E-CLASSIC



Model E.195.095.2
Order No. 30629-007



Model E.140.095
Order No. 30626-007



Model E.195.095
Order No. 30628-007

Technical data

External dimensions W x D x H
Internal dimensions W x D x H
Weight f. technical data

mm
mm
kg

E.195.095(.2)

950 x 500 x 1935
945 x 460 x 1845
137

E.145.095(.2)




950 x 500 x 1400
945 x 460 x 1295
87

Main features



Model 095.2 incl. liquid-tight welded tray shelves

Model	Body colour	Door colour	Order No.
E.195.095	gentian blue RAL 5010	light grey RAL 7035	30628-007
E.195.095.2	gentian blue RAL 5010	light grey RAL 7035	30629-007
E.140.095	gentian blue RAL 5010	light grey RAL 7035	30626-007
E.140.095.2	gentian blue RAL 5010	light grey RAL 7035	30627-007

Interior equipment	Material	W x D x H (mm)	 1)	 2)	 3)	Order No.
Tray shelf	sheet steel galvanised	931 x 444 x 50*	50.00	20.00	18.18	30632
Perforated insert	sheet steel galvanised	930 x 440 x 40	75.00			14740
Bottom collecting sump	sheet steel galvanised	932 x 445 x 50*		20.50	18.64	30633
Sump inliner	PP	869 x 378 x 88*		26.50	24.09	8564

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)



Model E.195.095.F
Order No. 30634-006



Model EM.195.095.F
Order No. 30638-006

Technical data

		E.195.095.F	E.195.095.F2	EM.195.095.F
External dimensions W x D x H	mm	950 x 500 x 1935	950 x 500 x 1935	950 x 500 x 1935
Internal dimensions W x D x H	mm	945 x 460 x 1845	945 x 460 x 1845	945 x 460 x 1845
Weight f. technical data	kg	148	156	133

Main features



Model 095.F incl. type 30 safety box



Model 095.2 incl. liquid-tight welded tray shelves



Model 095.EM can be used as a material cabinet

Model	Body colour	Door colour	Order No.
E.195.095.F	gentian blue RAL 5010	purple red RAL 3004	30634-006
E.195.095.F2	gentian blue RAL 5010	purple red RAL 3004	30635-006
EM.195.095.F	gentian blue RAL 5010	purple red RAL 3004	30638-006

Interior equipment	Material	W x D x H (mm)	1)	2)	3)	Order No.
Shelf	sheet steel galvanised	944 x 456 x 25	50.00			30640
Tray shelf	sheet steel galvanised	931 x 444 x 50*	50.00	20.00	18.18	30632
	sheet steel powder-coated RAL 7035	805 x 383 x 50*	25.00	8.50	7.73	30769
Perforated insert	sheet steel galvanised	930 x 440 x 40	75.00			14740
Bottom collecting sump	sheet steel galvanised	932 x 445 x 50*		20.50	18.64	30633
Sump inliner	PP	869 x 378 x 88*		26.50	24.09	8564

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

E-LINE | E-PSM



Model EP.195.095
Order No. 30630-009



Model EP.195.095.F
Order No. 30636-009

Technical data

		EP.195.095	EP.195.095.2	EP.195.095.F	EP.195.095.F2
External dimensions W x D x H	mm	950 x 500 x 1935	950 x 500 x 1935	950 x 500 x 1935	950 x 500 x 1935
Internal dimensions W x D x H	mm	945 x 460 x 1845	945 x 460 x 1845	945 x 460 x 1845	945 x 460 x 1845
Weight f. technical data	kg	99	112	147	156

Main features






Model 095.F incl. type 30 safety box



Model 095.2 incl. liquid-tight welded tray shelves

Model	Body colour	Door colour	Order No.
EP:195.095	turquoise green RAL 6016	turquoise green RAL 6016	30630-009
EP:195.095.2	turquoise green RAL 6016	turquoise green RAL 6016	30631-009
EP:195.095.F	turquoise green RAL 6016	turquoise green RAL 6016	30636-009
EP:195.095.F2	turquoise green RAL 6016	turquoise green RAL 6016	30637-009

Interior equipment	Material	W x D x H (mm)	 ¹⁾	 ²⁾	 ³⁾	Order No.
Tray shelf	sheet steel galvanised	931 x 444 x 50*	50.00	20.00	18.18	30632
	sheet steel powder-coated RAL 7035	805 x 383 x 50*	25.00	8.50	7.73	30769
Perforated insert	sheet steel galvanised	930 x 440 x 40	75.00			14740
Bottom collecting sump	sheet steel galvanised	932 x 445 x 50*		20.50	18.64	30633
Sump inliner	PP	869 x 378 x 88*		26.50	24.09	8564

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)