

FX-LINE | FX-CLASSIC-90



Model FX90.229.120.MV
Order No. 33286-040-33544



Model FX90.229.120.MV
Order No. 33286-041-33657



Model FX90.229.120.MV
Order No. 33286-046-33656

Technical data

External dimensions W x D x H
Internal dimensions W x D x H

Weight without interior equip.

Entry height transport base

Entry width transport base

Frequency

Power consump. in operation

Power consump. in standby mode

Max. current consumption

mm	1193 x 615 x 2294
mm	left: 450 x 522 x 1647 right: 450 x 522 x 1647
kg	554
mm	90
mm	1120
Hz	50
W	120
W	50
A	0.5

Main features



Self-sufficient and flexible storage solution



Type 90 cabinet incl. recirculating air filter unit














Dividing wall separates two storage compartments

You will find technical drawings and adjustment heights for these cabinet models from page 106

Model	Body colour	Door colour	Order No.
FX90.229.120.MV	anthracite grey RAL 7016	warning yellow RAL 1004	33286-040
		light grey RAL 7035	33286-041
		traffic red RAL 3020	33286-046

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
Left: 3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	33656
Left: 3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	stainless steel, PP grey	33544
Left: 3x tray shelf (V=11.5L), 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	37694
Left: 3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	stainless steel, PP grey	37695
Left: 6x drawer (V=4.5L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	sheet steel powder-coated RAL 7035, PP grey	33657
Left: 6x drawer (V=4.5L) Right: 3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	stainless steel, PP grey	33658

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner	PP grey	353 x 406 x 88*	9706
 Sump inliner for drawer supply	PP undyed	318 x 449 x 66*	18472
 Anti-slip rubber mat for drawer supply	black	495 x 340 x 1	8719
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793
 Activated carbon replacement filter	activated carbon	270 x 270 x 246	32950


* usable storage space W x D

Can't find a suitable interior equipment package for your application?
Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

EASY FILTER CHANGE
Filters with a long service life can be exchanged in just a few steps.



Need to store small quantities of various hazardous materials?
Interior equipment with many variants and **dividing walls** enable the perfect adjustment to different types of hazardous substances in one cabinet.



CONVENIENT STORAGE AND RETRIEVAL
Doors remain open for safe and convenient operation at any position.



ARE YOU LOOKING FOR AN APPROPRIATE STORAGE SOLUTION FOR HAZARDOUS MATERIALS?
Our optimised online product configurator helps you, step by step, to find the suitable safety storage cabinet. Take the test: www.asecos-configurator.com



FX-LINE | FX-PEGASUS-90



Model FX90.229.120.WDAC
Order No. 32905-040-33647



Model FX90.229.120.WDAC
Order No. 32905-041-33649



Model FX90.229.120.WDAC
Order No. 32905-046-33635

Technical data

External dimensions W x D x H	mm	1193 x 615 x 2294
Internal dimensions W x D x H	mm	1050 x 522 x 1647
Weight without interior equip.	kg	459
Entry height transport base	mm	90
Entry width transport base	mm	1120
Frequency	Hz	50
Power consump. in operation	W	120
Power consump. in standby mode	W	50
Max. current consumption	A	0.5

Main features



Self-sufficient and flexible storage solution



Type 90 cabinet incl. recirculating air filter unit














Doors with one-hand operation (AGT), door open-arrest system and automatic door closing (TSA)

You will find technical drawings and adjustment heights for these cabinet models from page 106

Model	Body colour	Door colour	Order No.
FX90.229.120.WDAC	anthracite grey RAL 7016	warning yellow RAL 1004	32905-040
		light grey RAL 7035	32905-041
		traffic red RAL 3020	32905-046

Interior equipment packages [can only be ordered in combination with the cabinet]	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33635
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33636
3x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33637
4x shelf, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33638
3x tray shelf [V=33.0L], 1x perforated insert, 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	33640
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=55.0L]	sheet steel powder-coated RAL 7035	30816
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33642
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	33643
3x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33644
4x shelf, 1x bottom collecting sump [V=33.0L]	stainless steel	33645
3x tray shelf [V=33.0L], 1x bottom collecting sump [V=33.0L]	stainless steel	30817
3x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30013
4x tray shelf metal free [V=33.0L], 1x bottom collecting sump [V=33.0L]	PP grey	30014
4x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33647
5x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33648
6x drawer [V=29.0L]	sheet steel powder-coated RAL 7035	33649
4x drawer [V=29.0L]	stainless steel	33651
5x drawer [V=29.0L]	stainless steel	33652
6x drawer [V=29.0L]	stainless steel	33653

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PE black	1000 x 392 x 50*	7223
 Sump inliner for drawer	PP grey	834 x 450 x 96*	10054
 Anti-slip rubber mat for drawer	black	840 x 490 x 1	8699
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85	30036
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793
 Activated carbon replacement filter	activated carbon	270 x 270 x 246	32950

* usable storage space W x D

Can't find a suitable interior equipment package for your application?
Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

Are you looking for a comfortable storage solution for your hazardous material containers?



Operate **two doors** with **one hand!**



METAL-FREE TRAY SHELVES
with chemical resistant surface lamination, ideal for the storage of flammable, aggressive hazardous substances

EASY FILTER CHANGE
Filters with a long service life can be exchanged in just a few steps.




SAFETY STORAGE CABINETS ONLY PROVIDE RELIABLE PROTECTION ...

... for humankind, environment and property when they are maintained professionally! With the **asecos services** you are always on the safe side.

You can find our service tariffs from page 494

FX-LINE | FX-PEGASUS-90



Model FX90.229.090.WDAC
Order No. 32910-046-33622



Model FX90.229.090.WDAC
Order No. 32910-041-33627



Model FX90.229.090.WDAC
Order No. 32910-040-33629

Technical data

External dimensions W x D x H	mm	893 x 615 x 2294
Internal dimensions W x D x H	mm	750 x 522 x 1647
Weight without interior equip.	kg	370
Entry height transport base	mm	90
Entry width transport base	mm	820
Frequency	Hz	50
Power consump. in operation	W	120
Power consump. in standby mode	W	50
Max. current consumption	A	0.5

Main features



Self-sufficient and flexible storage solution



Type 90 cabinet incl. recirculating air filter unit














Doors with one-hand operation (AGT), door open-arrest system and automatic door closing (TSA)

You will find technical drawings and adjustment heights for these cabinet models from page 106

Model	Body colour	Door colour	Order No.
FX90.229.090.WDAC	anthracite grey RAL 7016	warning yellow RAL 1004	32910-040
		light grey RAL 7035	32910-041
		traffic red RAL 3020	32910-046

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33622
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33623
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33624
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	33625
3x tray shelf (V=23.5L), 1x bottom collecting sump (V=39.5L)	sheet steel powder-coated RAL 7035	30818
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30047
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30048
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30049
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30050
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	stainless steel	30819
3x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30051
4x tray shelf metal free (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	30052
4x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33627
5x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33628
6x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	33629
4x drawer (V=19.0L)	stainless steel	33631
5x drawer (V=19.0L)	stainless steel	33632
6x drawer (V=19.0L)	stainless steel	33633

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for drawer	PP grey	534 x 450 x 96*	27948
 Sump inliner for shelf	PP grey	653 x 406 x 88*	9707
 Anti-slip rubber mat for drawer	black	540 x 490 x 1	15653
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover	sheet steel powder-coated textured RAL 7016	818 x 35 x 85	30069
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Document holder DIN A5	polystyrene		30793
 Activated carbon replacement filter	activated carbon	270 x 270 x 246	32950

* usable storage space W x D

Can't find a suitable interior equipment package for your application?
Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.

Are you looking for a comfortable storage solution for your hazardous material containers?

Operate **two doors** with **one hand!**



SHELF
Height adjustable (32 mm increments), with 30 mm upstand

EASY FILTER CHANGE

Filters with a long service life can be exchanged in just a few steps.



THE ASECOS HAZMAT GUIDE

... we have collected the most important information on storing and handling hazardous materials safely.

Order your free copy now: www.asecos.global

FX-LINE | FX-PEGASUS-90



Model FX90.229.060.WDAC
Order No. 32915-046-33600



Model FX90.229.060.WDAC
Order No. 32915-040-33608



Model FX90.229.060.WDAC
Order No. 32915-041-33610

Technical data

External dimensions W x D x H	mm	599 x 615 x 2294
Internal dimensions W x D x H	mm	450 x 522 x 1647
Weight without interior equip.	kg	287
Entry height transport base	mm	90
Entry width transport base	mm	526
Frequency	Hz	50
Power consump. in operation	W	120
Power consump. in standby mode	W	50
Max. current consumption	A	0.5

Main features



Self-sufficient and flexible storage solution



Type 90 cabinet incl. recirculating air filter unit















Door with open-arrest system and automatic door closing (TSA)

You will find technical drawings and adjustment heights for these cabinet models from page 106

Model	Body colour	Door colour	Order No.	
FX90.229.060.WDAC	anthracite grey RAL 7016	warning yellow RAL 1004	Door hinge: left	right
		light grey RAL 7035	32915-040	32920-040
		traffic red RAL 3020	32915-041	32920-041
			32915-046	32920-046


Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.	
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	Door hinge: left	right
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33600	34371
3x shelf, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33602	34372
4x shelf, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33603	34373
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33604	34374
3x tray shelf [V=11.5L], 1x perforated insert, 1x bottom collecting sump [V=33.0L]	sheet steel powder-coated RAL 7035	33606	34375
3x tray shelf [V=11.5L], 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	30820	34369
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	stainless steel	30081	33412
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	stainless steel	30082	33413
3x shelf, 1x bottom collecting sump [V=22.0L]	stainless steel	30083	33414
4x shelf, 1x bottom collecting sump [V=22.0L]	stainless steel	30084	33415
3x tray shelf [V=11.5L], 1x perforated insert, 1x bottom collecting sump [V=33.0L]	stainless steel	30085	33416
3x tray shelf [V=22.0L], 1x bottom collecting sump [V=22.0L]	stainless steel	30821	34370
3x tray shelf metal free [V=11.0L], 1x bottom collecting sump [V=11.0L]	PP grey	30086	33417
4x tray shelf metal free [V=11.0L], 1x bottom collecting sump [V=11.0L]	PP grey	30087	33418
4x drawer [V=4.5L]	sheet steel powder-coated RAL 7035	33608	34376
5x drawer [V=4.5L]	sheet steel powder-coated RAL 7035	33609	34377
6x drawer [V=4.5L]	sheet steel powder-coated RAL 7035	33610	34378
4x drawer [V=4.5L]	stainless steel	33616	34381
5x drawer [V=4.5L]	stainless steel	33617	34382
6x drawer [V=4.5L]	stainless steel	33618	34383
3x drawer [V=4.5L], 1x drawer [disposal] [V=75L]	stainless steel	33619	34384
4x drawer [V=4.5L], 1x drawer [disposal] [V=75L]	stainless steel	33620	34385
3x drawer [V=4.5L], 1x drawer [disposal] [V=75L]	sheet steel powder-coated RAL 7035	33612	34379
4x drawer [V=4.5L], 1x drawer [disposal] [V=75L]	sheet steel powder-coated RAL 7035	33613	34380

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.	
	Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
	Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
	Sump inliner	PP grey	353 x 406 x 88*	9706
	Sump inliner for drawer supply	PP undyed	318 x 449 x 66*	18472
	Sump inliner for drawer disposal	PE white	313 x 484 x 71*	40171
	Anti-slip rubber mat for drawer supply	black	495 x 340 x 1	8719
	Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
	Base cover	sheet steel powder-coated textured RAL 7016	524 x 35 x 85	30112
	Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
	Box for chemicals	PP blue	410 x 300 x 260	30038
	Document holder DIN A5	polystyrene		30793
	Activated carbon replacement filter	activated carbon	270 x 270 x 181	32951

* usable storage space W x D

Can't find a suitable interior equipment package for your application?
 Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.



ARE YOU LOOKING FOR AN APPROPRIATE STORAGE SOLUTION FOR HAZARDOUS MATERIALS?

Our optimised online product configurator helps you, step by step, to find the suitable safety storage cabinet. Take the test: www.asecos-configurator.com

FX-LINE | FX-DISPLAY-30



Model FX30.229.086.WDFW
Order No. 32946-060-33622



Model FX30.229.086.WDFW
Order No. 32946-061-33627






Model FX30.229.086.WDFW
Order No. 32946-066-33629

Technical data

External dimensions W x D x H	mm	864 x 620 x 2294
Internal dimensions W x D x H	mm	750 x 519 x 1626
Weight without interior equip.	kg	245
Entry height transport base	mm	90
Entry width transport base	mm	788
Frequency	Hz	50
Power consump. in operation	W	120
Power consump. in standby mode	W	50
Max. current consumption	A	0.5

Main features












-  Self-sufficient and flexible storage solution
-  Type 30 cabinet incl. recirculating air filter unit
-  Model WDFW with glass-fronted wing door

You will find technical drawings and adjustment heights for these cabinet models from page 106

Model	Body colour	Door colour	Order No.
FX30.229.086.WDFW	anthracite grey	warning yellow RAL 1004	32946-060
		light grey RAL 7035	32946-061
		traffic red RAL 3020	32946-066


Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33622
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33623
3x shelf, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33624
4x shelf, 1x bottom collecting sump [V=22.0L]	sheet steel powder-coated RAL 7035	33625
3x tray shelf [V=23.5L], 1x bottom collecting sump [V=39.5L]	sheet steel powder-coated RAL 7035	30818
3x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	stainless steel	30047
4x shelf, 1x perforated insert, 1x bottom collecting sump [V=22.0L]	stainless steel	30048
3x shelf, 1x bottom collecting sump [V=22.0L]	stainless steel	30049
4x shelf, 1x bottom collecting sump [V=22.0L]	stainless steel	30050
3x tray shelf [V=22.0L], 1x bottom collecting sump [V=22.0L]	stainless steel	30819
3x tray shelf metal free [V=22.0L], 1x bottom collecting sump [V=22.0L]	PP grey	30051
4x tray shelf metal free [V=22.0L], 1x bottom collecting sump [V=22.0L]	PP grey	30052
4x drawer [V=19.0L]	sheet steel powder-coated RAL 7035	33627
5x drawer [V=19.0L]	sheet steel powder-coated RAL 7035	33628
6x drawer [V=19.0L]	sheet steel powder-coated RAL 7035	33629
4x drawer [V=19.0L]	stainless steel	33631
5x drawer [V=19.0L]	stainless steel	33632
6x drawer [V=19.0L]	stainless steel	33633

Accessories for these cabinet models:

Accessories	Material	W x D x H (mm)	Order No.
 Storage box left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30029
 Storage box right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360	30030
 Sump inliner for shelf	PP grey	653 x 406 x 88*	9707
 Sump inliner for drawer	PP grey	534 x 450 x 96*	27948
 Anti-slip rubber mat for drawer	black	540 x 490 x 1	15653
 Pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48	30035
 Base cover with adjusting device (available for order only in combination with cabinet)	panel melamine resin-coated RAL 7016	786 x 536 x 88	31010
 Base cover	panel melamine resin-coated RAL 7016	786 x 536 x 88	31924
 Q-mover 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	30037
 Box for chemicals	PP blue	410 x 300 x 260	30038
 Activated carbon replacement filter	activated carbon	270 x 270 x 181	32951

* usable storage space W x D

Can't find a suitable interior equipment package for your application?
Contact us by phone at +49 6051 9220-0 or by e-mail at
info@asecos.com – together with our experts you will find the right solution.



EVERYTHING IN VIEW

Door with large glass cutout allows a quick and easy overview of the stored containers – even with closed door.



METAL-FREE TRAY SHELVES

with chemical resistant surface lamination, ideal for the storage of flammable, aggressive hazardous substances

EASY FILTER CHANGE

Filters with a long service life can be exchanged in just a few steps.



3D

Discover our products in the virtual **3D showroom:**

www.asecos-showroom.com

